

Bibliographie article : Impact du changement climatique sur la biodiversité animale en Haïti : enjeux et perspectives

Références citées

- Accimé, M. (2010). *Cyclura ricordi* Conservation Activities in Haiti. Rapport pour la Fondation internationale de l'iguane et Grupo Jararagua, Santo Domingo, 10 pp.
- Albert, S., Wolfe, J.D., Kellerman, J., Sherry, T., Stutchbury, B.J.M. et al. (2020). Habitat ecology of Nearctic–Neotropical migratory landbirds on the nonbreeding grounds. *Ornithological Applications* 122: 1-18.
- Aleme, J.B., Cazabon-Mannette, M.N. E., Cunningham, A.A., Dempewolf, L., Hailey, A., Mannette, R.P., et al. (2013). Presence of the chytrid fungus *Batrachochytrium dendrobatis* in a Vulnerable frog in Trinidad, West Indies. *Endangered Species Research* 20: 131-136.
- Algar, A.C., Mahler, D.L., Glor, R.E. & Losos, J.B. (2013). Niche incumbency, dispersal limitation and climate shape geographical distributions in a species-rich island adaptive radiation. *Global Ecology and Biogeography* 22: 391-402.
- Alva-Basurto, J.C. & Arias-González, J.E. (2014). Modelling the effects of climate change on a Caribbean coral reef food web. *Ecological Modelling* 289: 1-14.
- Arnold, S.E.J., Bridgemohan, P., Perry, G.B., Spinelli, G.R., Pierre, B., Murray, F. et al. (2018). The significance of climate in the pollinator dynamics of a tropical agroforestry system. *Agriculture, Ecosystem and Environment* 254: 1-9.
- Askins, R.A. & Ewert, D.N. (2020) Resistance and resilience of Virgin Islands bird populations following severe hurricanes. *Wilson Journal of Ornithology* 132: 898-910.
- Ayala, J.J.H. & Heslar, M. (2019). Examining the spatiotemporal characteristics of droughts in the Caribbean using the standardized precipitation index (SPI). *Climate Research* 78: 103-116.
- Barragán-Barrera, D.C., do Amaral, K.B., Chávez-Carreño, P.A., Farías-Curtidor, N., Lancheros-Neva, R., et al. (2019) Ecological niche modeling of three species of *Stenella* dolphins in the Caribbean Basin, with application to the Seaflower Biosphere Reserve. *Frontiers in Marine Science* 6: 10.
- Beaujour, P.M. & Cézilly, F. (2022). The importance of urban green spaces for pollinating insects: The case of the metropolitan area of Port-au-Prince, Haiti. *Caribbean Journal of Science* 52: 238-249.
- Bennett, J.M., Sunday, J., Calosi, P., Villalobos, F., Martinez, B. et al. (2021). The evolution of critical thermal limits of life on Earth. *Nature Communications* 12: 1198.
- Bhagwat, S.A., Willis, K.J., Birks, H.J.B. & Whittaker, R.J. (2008). Agroforestry: a refuge for tropical biodiversity? *Trends in Ecology and Evolution* 23: 261-267.
- BirdLife International (2023). Country profile: Haiti. <http://datazone.birdlife.org/country/haiti>.
- Bond, J. (1943). Nidification of the passerine birds of Hispaniola. *Wilson Bulletin* 55: 115-125.
- Brace, S., Barnes, I., Powell, A., Pearson, R., Woolaver, L. G., Thomas, M.G. & Turvey, S.T. (2012). Population history of the Hispaniolan hutia *Plagiodontia aedium* (Rodentia: Capromyidae): testing the model of ancient differentiation on a geotectonically complex Caribbean island. *Molecular Ecology* 21: 2239–2253.
- Brooks, T. M., Mittermeier, R. A., Mittermeier, C. G., da Fonseca, G. A. B., Rylands, A. B., Konstant, W. R., Flick, P., Pilgrim, J., Oldfield, S., Magin, G., & Hilton-Taylor, C. (2002). Habitat loss and extinction in the hotspots of biodiversity. *Conservation Biology* 16: 909–923.

- Burrowes, P.A., Joglar, R.L. & Green, D.E. (2004). Potential causes for amphibian decline in Puerto Rico. *Herpetologica* 60: 141-154.
- Cajigas Gandia, A., Alonso Bosch, R., Mancina, C.A. & Herrel, A. (2023). Climatic variation along the distributional range in Cuban *Anolis* lizards: Species and ecomorphs under future scenarios of climate change. *Global Ecology and Conservation* 42: e02401.
- Carlson, A.J. & Rahel, F.J. (2007). A basinwide perspective on entrainment of fish in irrigation canals. *Transactions of the American Fisheries Society* 136:1335–1343.
- Chakrabarty, P. (2006). Taxonomic status of the Hispaniolan Cichlidae. *Occasional Papers of the Museum of Zology University of Michigan* 737: 1-17.
- Chen, I.-C., Hill, J.K., Ohlemüller, R. Roy, D.B. & Thomas, C.D. (2011). Rapid range shifts of species associated with high levels of climate warming. *Science* 333: 1024-1026.
- Cineas, C. & Doledec, S. (2022). Species richness and composition of Caribbean aquatic entomofauna: role of climate, island area, and distance to mainland. *Frontiers of Biogeography* 14: e54479.
- Clarke, L.J., Elliot, R.L., Abella-Perez, E., Jenkins, S.R., Marco, A., Martins, S. & Hawkes, L.A. (2021). Low-cost tools mitigate climate change during reproduction in an endangered marine ectotherm. *Journal of Applied Ecology* 58: 1466-1476.
- Cohen, J.M., McMahon, T.A., Ramsay, C., Roznik, E.A., Sauer, E.L. & Bessler, S. (2019). Impacts of thermal mismatches on chytrid fungus *Batrachochytrium dendrobatidis* prevalence are moderated by life stage, body size, elevation and latitude. *Ecology Letters* 22: 817-825.
- Cunningham, S.J., Gardner, J.L. & Martin, R.O. (2021). Opportunity costs and the response of birds and mammals to climate warming. *Frontiers in Ecology and Environment* 19: 300-307.
- Dhams, C. & Killen, S.S. (2023). Temperature change effects on marine fish range shifts: A meta-analysis of ecological and methodological predictors. *Global Change Biology* 29:4459–4479.
- Domeier, M.L. & Colin, PL. (1997). Tropical reef fish spawning aggregations: defined and reviewed. *Bulletin of Marine Science* 60: 698-726.
- Dominguez Tejo, H.M. (2019) History and conservation status of the Antillean manatee *Trichechus manatus manatus* in Hispaniola. *Oryx* 55: 284-293.
- Dongare, P.D., Alabastria, A., Neumann, O., Nordlander, P. & Halas, N.J. (2019). Solar thermal desalination as a nonlinear optical process. *Proceedings of the National Academy of Sciences USA* 116: 13182–13187.
- Donihue, C.M., Herrel, A., Fabre, A.-C., Kamath, A., Geneva, A.J. et al. (2018). Hurricane-induced selection on the morphology of an island lizard. *Nature* 560: 88-91.
- Duré, M.I., Kehr, A.I., Schaefer, E.F. & Marangoni, F. (2008). Diversity of amphibians in ricefields of Northern Argentina. *Interciencia* 33: 523-527.
- Ellison, A.M. & Farnsworth, E.J. (1997). Simulated sea level change alters anatomy, physiology, growth, and reproduction of red mangrove (*Rhizophora mangle* L.). *Oecologia* 112: 435-446.
- Exantus, J.-M. & Cézilly, F. (2023). Composition of avian assemblage in a protected forested area in Haiti: Evidence for recent decline of both forest-dependent and insectivore species. *Global Ecology and Conservation* 46: e02607.
- Exantus, J.-M., Beaune, D. & Cézilly, F. (2021). The relevance of urban agroforestry and urban remnant forest for avian diversity in a densely-populated developing country: The case of Port-au-Prince, Haiti. *Urban Forestry & Urban Greening* 63: 127217.
- Exantus, J.-M., Cambrone, C., Bezault, E. & Cézilly (2023). Contrasted avian communities between two protected areas in the metropolitan area of Port-au-Prince, Haiti. *Urban Ecosystems*, en revision.

- FAO (2016). Drought Characteristics and Management in the Caribbean, FAO report 42, FAO, Rome, Italy, 77 pp..
- Fish, M.R., Côté, I.M., Gill, J.A., Jones, A.P., Renshoff, S. & Watkinson, A.R. (2005). Predicting the impact of sea-level rise on Caribbean sea turtle nesting habitat. *Conservation Biology* 19: 482-489.
- Flint, O.S., Bastardo, R.H. & Perez-Gelabert, D. (2006). Distribution of the Odonata of the Dominican Republic. *Bulletin of American Odonatology* 9: 67–84.
- Freeman, M.T., Czenze, Z.J., Schoeman, K. & McKechnie, A.E. (2022). Adaptive variation in the upper limits of avian body temperature. *Proceedings of the National Academy of Sciences USA* 119: e2116645119.
- Godinho, F.N., Pinheiro, P.J. Oliveira, J.M. & Azedo, R. (2014). Responses of intermittent stream fish assemblages to irrigation development. *River Research and Applications* 30: 1248–1256.
- Godoy, R.S., Weber, V., Lanés, L.E.K., Pires, M.M., Stenert, C. & Maltchik, L. (2023). Effects of temperature and heat waves on embryonic development of annual fishes from Neotropical wetlands: Implications for climate change scenarios. *Ecology of Freshwater Fish* 32: 864-873.
- Gokturk, E.N., Bartlett, B.S., Erisman B., Heyman, W. & Asch, R.G. (2022). Loss of suitable ocean habitat and phenological shifts among grouper and snapper spawning aggregations in the Greater Caribbean under climate change. *Marine Ecology Progress Series* 699: 91-115.
- Graham, A. (1990). Late tertiary microfossil flora from the Republic of Haiti. *American Journal of Botany* 77: 911-926.
- Gutiérrez-Fonseca, P.E., Ramírez, A., Pringle, C.M., Torres, P.J., McDowell, W.H., Covich, A., Crow, T. & Pérez-Reyes, O. (2020). When the rainforest dries: Drought effects on a montane tropical stream ecosystem in Puerto Rico. *Freshwater Science* 39:197–212.
- Hedges, S.B. (2012). Études sur les amphibiens et les reptiles d'Haïti. Rapport d'activités, 2009–2012, Haïti, 17 pp.
- Hedges, S.B., Thomas, R. & Franz, R. (1987). A new species of *Eleutherodactylus* (Anura, Leptodactylidae) from the Massif de la Hotte, Haiti. *Copeia* 943–949.
- Hedges, S.B. & Thomas R. (1992a). A new marsh-dwelling species of *Eleutherodactylus* from Haiti (Anura: Leptodactylidae). *Journal of Herpetology* 26: 191–195.
- Hedges, S.B. & Thomas, R. (1992b). Two new species of *Eleutherodactylus* from remnant cloud forest in Haiti (Anura: Leptodactylidae). *Herpetologica* 48: 351–358.
- Hickling, R., Roy, D.B., Hill, J.K., Fox, R. & Thomas, C.D. (2006). The distributions of a wide range of taxonomic groups are expanding polewards. *Global Change Biology* 12: 450-455.
- Hill, R.A. & Hawkins, C.P. (2014). Using modelled stream temperatures to predict macro-spatial patterns of stream invertebrate biodiversity. *Freshwater Biology* 59: 2632-2644.
- Hudson, M.A., Griffiths, R.A., Martin, L., Fenton, C., Adams, S.L., et al. (2019) Reservoir frogs: seasonality of *Batrachochytrium dendrobatidis* infection in robber frogs in Dominica and Montserrat. *Peer J.* 7: e7021.
- Huey, R. B. & Stevenson, R. D. (1979). Integrating thermal physiology and ecology of ectotherms: a discussion of approaches. *American Zoology* 19: 357–366.
- Imbach, P., Fung, E., Hannah, L., Navarro-Racines, C.E., Roubik, D.W., Rickkets, T.H., et al. (2017). Coupling of pollination services and coffee suitability under climate change. *Proceedings of the National Academy of Sciences U.S.A.* 114: 10438-10442.
- Johnson, K. & Hedges, S. B. (1998). Three new species of *Calisto* from southwestern Haiti (Lepidoptera: Nymphalidae: Satyrinae). *Tropical Lepidoptera* 9: 45–53.

- Khaliq, I., Hof, C., Prinzinger, R., Böhning-Gaese, K. & Pfenninger, M. (2014). Global variation in thermal tolerances and vulnerability of endotherms to climate change. *Proceedings of the Royal Society B* 281: 20141097.
- Kennedy, A.S., Zerbini, A.N., Vásquez, O.V., Gandilhon, N., Clapham, P.J. & Adam, O. (2014). Local and migratory movements of humpback whales (*Megaptera novaeangliae*) satellite-tracked in the North Atlantic Ocean. *Canadian Journal of Zoology* 92: 9-18.
- Kennerley, R.J., Nicoll, M.A.C., Young, R.P., Turvey, S.T., Nuñez-Miño, J.M., Brocca, J.L. & Butler, S.J. (2019). The impact of habitat quality inside protected areas on distribution of the Dominican Republic's last endemic non-volant land mammals. *Journal of Mammalogy* 100: 45-54.
- Komar, O. (2006). Ecology and conservation of birds in coffee plantations: a critical review. *Bird Conservation International* 16: 1-23.
- Krishnamurthy, S.L., Lokeshkumar, B.M., Rathor, S., Warraich, A.S., Yadav, S. et al. (2022). Development of salt-tolerant rice varieties to enhancing productivity in salt-affected environments. *Environmental Sciences Proceedings* 13: 30.
- Laird-Hopkins, B.C., Ashe-Jespon, E., Basset, Y., Arizala Cobo, S., Eberhardt, L., et al. (2023). Thermoregulatory ability and mechanism do not differ consistently between neotropical and temperate butterflies. *Global Change Biology* 29: 4180-4192.
- Laloë, J.-O., Esteban, N., Berkel, J. & Hays, G.C. (2016). Sand temperature for nesting sea turtles in the Caribbean: Implications for hatchling sex ratios in the face of climate change. *Journal of Experimental Marine Biology and Ecology* 474: 92-99.
- Latta, S., Rimmer, C., Keith, A., Wiley, J., Raffaele, H., McFarland, K., & Fernandez, E. (2006). *Les Oiseaux d'Haïti et de la République Dominicaine*. Princeton University Press, Princeton, New Jersey.
- Latta, S., Rimmer, C., & McFarland, K. (2022). *Field Guide to the Birds of the Dominican Republic and Haiti*. Princeton University Press, Princeton, New Jersey.
- Lesser, M.P., Fiore, C., Slattery, M. & Zaneveld, J. (2016). Climate change stressors destabilize the microbiome of the Caribbean barrel sponge, *Xestospongia muta*. *Journal of Experimental Marine Biology and Ecology* 475: 11–18.
- Li, F., Chung, N., Bae, M.-J., Kwon, Y.-S., Kwon, T.-S. & Park, Y.-S. Temperature change and macroinvertebrate biodiversity: assessments of organism vulnerability and potential distributions. *Climatic Change* 119: 421-434.
- Lloyd, J.D., Rimmer, C.C. & Salguero-Faría, J.A. (2019). Short-term effects of hurricanes Maria and Irma on forest birds of Puerto Rico. *PLoS ONE* 14: e0214432.
- Lundsgaard, N.U., Hird, C., Doody, K.A., Franklin, C.E., & Cramp, R.L. (2023). Carryover effects from environmental change in early life: An overlooked driver of the amphibian extinction crisis? *Global Change Biology* 29: 3857-3868.
- Ma, G. & Ma, C.S. (2022). Potential distribution of invasive crop pests under climate change: incorporating mitigation responses of insects into prediction models. *Current Opinion in Insect Science* 49: 15-21.
- Mofu, L., Cuthbert, R.N., Dalu, T., Woodford, D.J., Wasserman, R.J., Dick, J.T.A. & Weyl, O.L.F. (2019). Impacts of non-native fishes under a seasonal temperature gradient are forecasted using functional responses and abundances. *NeoBiota* 49: 57-75.
- Muñoz, M.M., Feeley, K.J., Martin, P.H. & Farallo, V.R. (2022). The multidimensional (and contrasting) effects of environmental warming on a group of montane tropical lizards. *Functional Ecology* 36: 419–431.
- Myers, N., Mittermeier, R. A., Mittermeier, C. G., da Fonseca, G. A. B., & Kent, J. (2000). Biodiversity hotspots for conservation priorities. *Nature* 403: 853–858.
- Nam, H.-K., Choi, Y.S., Choi, S;-H. & Yoo, J.-C. (2015). Distribution of waterbirds in rice fields and their use of foraging habitats. *Waterbirds* 38: 173-183.

- Navedo, J.G., Hahn, S., Parejo, M., Abad-Gómez, J.M., Gutiérrez, J.S., et al. (2015). Unravelling trophic subsidies of agroecosystems for biodiversity conservation: Food consumption and nutrient recycling by waterbirds in Mediterranean rice fields. *Science of the Total Environment* 511: 288–297.
- Núñez-Nova, M.S., Torres, R., Rodríguez-Durán, A. & Zorilla, J.M. (2021). Spatial distribution of bat species on Hispaniola Island, the Greater Antilles. *Acta Chiropterologica*, 23: 443–454.
- Parvin, S., Van Geel, M., Yeasmin, T., Verbruggen, E. & Honnay, O. (2020). Effects of single and multiple species inocula of arbuscular mycorrhizal fungi on the salinity tolerance of a Bangladeshi rice (*Oryza sativa L.*) cultivar. *Mycorrhiza* 30: 431-444.
- Patino-Martinez, J., Marco, A., Quiñones, L. & Hawkes, L. (2012). A potential tool to mitigate the impacts of climate change to the caribbean leatherback sea turtle. *Global Change Biology* 18: 401-411.
- Paul, J.M., Saint-Louis, L.J., Olivier, A., Célestin, W. & Cézilly, F. (2022). Conservation status of the Hispaniolan slider *Trachemys decorata* (Barbour and Carr 1940) at Lake Trou Caïman, eastern Haiti: first data on an endemic, poorly studied, and endangered species. *Herpetological Conservation and Biology* 17: 612–622.
- Perez-Gelabert, D. E. 2008. Arthropods of Hispaniola (Dominican Republic and Haiti): A checklist and bibliography. *Zootaxa* 1831: 1–530.
- Perez-Gelabert, D. E. 2020. Checklist, bibliography and quantitative data of the arthropods of Hispaniola. *Zootaxa* 4749: 1–668.
- Phaneuf, J. (1981). Etude socio-écologique de l'Etang de Miragôane, Haïti. Master thesis, Université McGill, Montréal, Québec, 60 pp.
- Posner, S., Michel, G.-A. & Toussaint, J. R. (2010). Haiti biodiversity and tropical forest assessment. Report, USAID, USDA Forest Service, 88 pp.
- Qin, H., Li, Y. & Huang, R. (2020). Advances and challenges in the breeding of salt-tolerant rice. *International Journal of Molecular Sciences* 21: 8385.
- Racheli, T. 2019. An updated list to the butterflies of Hispaniola, with notes on the classification of *Calisto* Hübner, 1823 (Lepidoptera, Hesperioidae, Papilionoidea). *Neue Entomologische Nachrichten* 76: 1–135.
- Ramalho, Q., Vale, M.M., Manes, S., Diniz, P., Malecha, A. & Prevedello, J.A. (2023). Evidence of stronger range shift response to ongoing climate change by ectotherms and high-latitude species. *Biological Conservation* 279: 109911.
- Randall, C.J. & van Woesik, R. (2015). Contemporary white-band disease in Caribbean corals driven by climate change. *Nature Climate Change* 5: 375-379.
- Reher, S. & Dausmann, K.H. (2021). Tropical bats counter heat by combining torpor with adaptive hyperthermia. *Proceedings of the Royal Society B* 288: 20202059.
- Reyer, C.P.O., Adams, S., Albrecht, T. et al. (2017). Climate change impacts in Latin America and the Caribbean and their implications for development. *Regional Environmental Change* 17: 1601–1621.
- Richmond, C.W. & Swales, B.H. (1924). Descriptions of three new birds from Gonave Island, Haiti. *Proceedings of the Biological Society of Washington* 37: 105–108.
- Rios-López, N. (2008). Effects of increased salinity on tadpoles of two anurans from a Caribbean coastal wetland in relation to their natural abundance. *Amphibia-Reptilia* 29: 7–18.
- Roach, N.S., Acosta, D. & Lacher, T.E. Jr. (2021). Shade coffee and amphibian conservation, a sustainable way forward? Understanding the perceptions and management strategies of coffee growers in Colombia. *Ecology and Society* 26: 33.

- Rocha, J., Laps, R.R., Machado, C.G. & Campiolo, S. (2017). The conservation value of cacao agroforestry for bird functional diversity in tropical agricultural landscapes. *Ecology and Evolution* 9: 7903–7913.
- Rodriguez-Silva, R. & Weaver, P. F. (2020). A new livebearing fish of the genus *Limia* (Cyprinodontiformes: Poeciliidae) from Lake Miragoane, Haiti. *Journal of Fish Biology* 96: 1360–1369.
- Rodriguez-Silva, R., Torres-Pineda, P. & Josaphat, J. (2020). *Limia mandibularis*, a new livebearing fish (Cyprinodontiformes: Poeciliidae) from Lake Miragoane, Haiti. *Zootaxa* 4768: 395–404.
- Rodriguez-Silva, R., Josaphat, J., Patricia Torres-Pineda, P. & Schlupp, I. (2021). Annotated list of livebearing fish (Cyprinodontiformes: Poeciliinae) from Lake Miragoane in Southwestern Haiti, Hispaniola. *Novitates Caribaea* 17: 147–162.
- Ron, S.R. (2005). Predicting the distribution of the amphibian pathogen *Batrachochytrium dendrobatidis* in the New World. *Biotropica* 37: 209–221.
- Schwartz, M. (2005). Sea-level rise influence on Caribbean coastal erosion. *Journal of Coastal Research SI* 42: 279–284.
- Serafy, J.E., Shideler, G.S., Araújo, R.J. & Nagelkerken, I. (2015). Mangroves enhance reef fish abundance at the Caribbean regional scale. *PLoS ONE* 10: e0142022.
- Sheller, M. & Leon, Y.M. (2016). Uneven socio-ecologies of Hispaniola: Asymmetric capabilities for climate adaptation in Haiti and the Dominican Republic. *Geoforum* 73: 32–46.
- Soto-Centeno, J.A., Simmons, N.B. & Steadman, D.W. (2017) The bat community of Haiti and evidence for its long-term persistence at high elevations. *PLoS ONE*: e0178066.
- Souza, U.P., Ferreira, F.C., Braga, F.M. de S. & Winemille, K.O. (2015). Feeding, body condition and reproductive investment of *Astyanax intermedius* (Characiformes, Characidae) in relation to rainfall and temperature in a Brazilian Atlantic Forest stream. *Ecology of Freshwater Fish* 24: 123–132.
- Spencer, N., Strobl, E. & Campbell, A. (2022). Sea level rise under climate change: Implications for beach tourism in the Caribbean. *Ocean and Coastal Management* 225: 106207.
- Stephenson, K., Wilson, B., Taylor, M., McLaren, K., van Veen, R., Kunna, J. & Campbell, J. (2022). Modelling climate change impacts on tropical dry forest fauna. *Sustainability* 14: 4760.
- Swann, D.E.B., Bellingham, B.J. & Martin, P.H. (2023). Resilience of a tropical montane pine forest to fire and severe droughts. *Journal of Ecology* 111: 90–109.
- Thomas, A. & Baptiste, A.K. (2017). Knowledge, perceptions, concerns, and behaviors to climate change—the Caribbean context: an introduction. *Journal of Environmental Studies and Sciences* 8:1–3.
- Thomas, D. (2006). Climate, climate change and range boundaries. *Diversity and Distributions* 16: 488–495.
- Thomas, R. & Hedges, S.B. (2006). Two new species of *Amphisbaena* (Reptilia: Squamata: Amphisbaenidae) from the Tiburon Peninsula of Haiti. *Caribbean Journal of Science* 42: 208–219.
- Tirado, C., Trujillo, D., Pizarro-Araya, J., Alfaro, F.M., González, S. & Carretero, M.A. (2018). Ecophysiological traits and activity patterns of coleopterans from Atacama Desert provide clues to the functional responses of small ectotherms to climate change. *Journal of Arid Environments* 150: 21–27.
- Turvey, S.T., Kennerley, R.J., Nuñez-Miño, J.M. & Young, R.P. (2017). The last survivors: current status and conservation of the non-volant land mammals of the insular Caribbean. *Journal of Mammalogy* 98: 918–936.

- Turvey, S. T., Meredith, H. M. R. & Scofield, R. P. (2008). Continued survival of Hispaniolan solenodon *Solenodon paradoxus* in Haiti. *Oryx* 42: 611-614.
- Vallès, H., Labaude, S., Bezault, E., Browne, D., Deacon, A., Guppy, R., Pujadas Clavel, A., & Cézilly, F. (2021). Low contribution of Caribbean-based researchers to academic publications on biodiversity conservation in the insular Caribbean. *Perspectives in Ecology and Conservation* 19: 443–453.
- Vilella, F.J. & Fogarty, J.H. (2005). Diversity and abundance of forest frogs (Anura: Leptodactylidae) before and after Hurricane Georges in the Cordillera Central of Puerto Rico. *Caribbean Journal of Science* 41: 157-162.
- Wetmore, A. (1921). A study of the body temperature of birds. *Smithsonian Miscellaneous Collections* 72: 1–51.
- Wetmore, A. & Lincoln, F. C. (1933). Additional notes on the birds of Haiti and the Dominican Republic. *Proceedings of the United States National Museum* 82: 1–68.
- Wibbels, T., Cowan, J. & LeBoeuf, R. (1998). Temperature-Dependent Sex Determination in the Red-Eared Slider Turtle, *Trachemys scripta*. *Journal of Experimental Zoology* 281: 409-415.
- Wiley, J.W. & Wunderle, J.M. (1993). The effects of hurricanes on birds, with special reference to Caribbean islands. *Bird Conservation International* 3: 319–349.
- Williams, S. E., Shoo, L. P., Isaac, J. L., Hoffmann, A. A. & Langham, G. (2008). Towards an integrated framework for assessing the vulnerability of species to climate change. *PLoS Biology* 6: 2621 –2626.
- Willig, M.R. & Camillo, G.R. (1991). The effect of Hurricane Hugo on six invertebrate species in the Luquillo Experimental Forest of Puerto Rico. *Biotropica* 23: 455-461.
- Wislocki, G. B. (1933). Location of the testes and body temperature in Mammals. *The Quarterly Review of Biology* 8: 385–396.
- Woods, C.A . (1981). Last endemics mammals of Hispaniola. *Oryx* 16: 146-152.
- Wright, S.J., Muller-Landau, H.C. & Schipper, J. (2009). The future of tropical species on a warmer planet. *Conservation Biology* 23: 1418-1426.
- Wunderle, J.M., Lodge, D.J. & Waide, R.B. (1992). Short-term effects of Hurricane Gilbert on terrestrial bird populations on Jamaica. *Auk* 109: 148–166.
- Wunderle, J.M. (1995). Responses of bird populations in a Puerto Rican forest to Hurricane Hugo: the first 18 months. *Condor* 97: 879–896.
- Yasuhara, M. & Danovaro, R. (2016). Temperature impacts on deep-sea biodiversity. *Biological Reviews* 91: 275-287.

Jean-Marry Exantus a fait ses études d'ingénieur agronome à l'Université Episcopale d'Haïti, avant d'obtenir son master et, tout récemment, en octobre 2023, sa thèse de doctorat en écologie à l'Université de Antilles en Guadeloupe. Spécialiste de l'avifaune haïtienne, il est l'auteur de plusieurs publications dans des revues à comité de lecture international. Email: jean-marry.exantus@caribaea.org

Frank Cézilly est un spécialiste du comportement animal et de la biologie de la conservation, qui au cours de sa longue carrière de chercheur, professeur d'université et président fondateur de l'ONG internationale Caribaea Initiative, a publié plusieurs ouvrages en langue française et anglaise et plus de 160 articles scientifiques. Email: frank.cezilly@caribaea.org